



INTERNATIONAL

PRODUCT CATALOG

**Manufacturing professional glue guns and
specialty hot met glue sticks since 1968**

INDUSTRIAL GLUE GUNS

Designed to meet the rigorous demands of manufacturing and production environments. Equipped with high-wattage options, these tools provide consistent and efficient adhesive application for high-volume tasks. These models offer precise and controlled glue flow and are perfect for specialized applications. With OEM capabilities, we can customize these tools to meet specific production requirements, providing a tailored solution for your unique industrial needs. Customization is available for all glue guns with a minimum purchase order—please inquire for details. Replacement parts will also be available to support ongoing maintenance and product longevity.



CORDLESS ADJUSTABLE TEMP

Dimensions: 292 mm (11.5") W x 229 mm (9") H
Adjustable Temperature: 120° C - 210° C (250° F - 410° F)
Heater: PTC

ITEM	WATTS	GLUE DIAMETER
#PRO2-200-11AT	~200	10.8 - 11.5 mm (0.425" - 0.452")

- Compatible with 18V battery packs, similar to the RYOBI® style, battery & charger NOT included
- 4Ah Battery or higher is recommended
- Easy to Adjust Temperature Dial
- On/Off Button with Ready Light
- Rubberized handle for comfort

HIGH-OUTPUT INDUSTRIAL SERIES



HIGH-OUTPUT ADJUSTABLE TEMP

Dimensions: 304.8 mm (12") W x 276 mm (10.875") H
Adjustable Temperature: 120° C - 210° C (250° F - 410° F)
Heater: Cartridge

ITEM	WATTS	GLUE DIAMETER
#CART-1000-18AT	1000	17.5 - 18.5 mm (0.689" - 0.728")
#CART-1000-15AT	1000	14.6 - 15.3 mm (0.574" - 0.602")

- Easy to Adjust Temperature Dial
- Lighted On/Off Switch
- Long Full Hand Trigger Design
- Stroke Adjustment Screw
- Integrated Balancing Mount Hole
- Large Removeable Stand
- Includes Small Removeable Stand (not pictured)

LOOKING TO CUSTOMIZE? LET'S MATCH YOUR BRAND!
COLORS & LOGOS CAN BE ADDED FOR ALL GLUE GUNS. INQUIRE TO LEARN MORE.

INDUSTRIAL SERIES



INDUSTRIAL ADJUSTABLE TEMP

Dimensions: 254 mm (10") W x 216 mm (8.5") H
Adjustable Temperature: 120° C - 210° C (250° F - 410° F)
Heater: Cartridge

ITEM	WATTS	GLUE DIAMETER
#CART-400-15AT	400	14.6 - 15.3 mm (0.574" - 0.602")
#CART-400-11AT	400	10.8 - 11.5 mm (0.425" - 0.452")
#CART-300-11AT	300	10.8 - 11.5 mm (0.425" - 0.452")
#CART-220-11AT	220	10.8 - 11.5 mm (0.425" - 0.452")
#CART-400-12AT	400	11.6 - 12.3 mm (0.457" - 0.484")
#CART-300-12AT	300	11.6 - 12.3 mm (0.457" - 0.484")
#CART-220-12AT	220	11.6 - 12.3 mm (0.457" - 0.484")

- Easy to Adjust Temperature Dial
- Lighted On/Off Switch
- Long Full Hand Trigger Design
- Stroke Adjustment Screw
- Integrated Balancing Mount Hole
- Large Removeable Stand
- Includes Small Removeable Stand (not pictured)

PROFESSIONAL SERIES



PRO ADJUSTABLE TEMP

Dimensions: 228 mm (9") W x 206 mm (8.125") H
Adjustable Temperature: 120° C - 210° C (250° F - 410° F)
Heater: PTC

ITEM	WATTS	GLUE DIAMETER
#PTC-300-11AT	300	10.8 - 11.5 mm (0.425" - 0.452")
#PTC-180-11AT	180	10.8 - 11.5 mm (0.425" - 0.452")
#PTC-100-11AT	100	10.8 - 11.5 mm (0.425" - 0.452")
#PTC-300-12AT	300	11.6 - 12.3 mm (0.457" - 0.484")
#PTC-180-12AT	180	11.6 - 12.3 mm (0.457" - 0.484")
#PTC-100-12AT	100	11.6 - 12.3 mm (0.457" - 0.484")

PRO HIGH TEMP

Dimensions: 228 mm (9") W x 206 mm (8.125") H
High Temperature: 190° C (380° F)
Heater: PTC

ITEM	WATTS	GLUE DIAMETER
#PTC-300-11	300	10.8 - 11.5 mm (0.425" - 0.452")
#PTC-180-11	180	10.8 - 11.5 mm (0.425" - 0.452")
#PTC-100-11	100	10.8 - 11.5 mm (0.425" - 0.452")
#PTC-300-12	300	11.6 - 12.3 mm (0.457" - 0.484")
#PTC-180-12	180	11.6 - 12.3 mm (0.457" - 0.484")
#PTC-100-12	100	11.6 - 12.3 mm (0.457" - 0.484")

RETAIL GLUE GUNS

Designed for DIY enthusiasts, hobbyists, and retail craft spaces. These lightweight, ergonomic glue guns are easy to use and comfortable for long projects. Ideal for crafting, home repairs, or store shelves, plus they're customizable with OEM and ODM options to fit your brand's needs. Let's match your brand, ask us about customizing options.



AUTO SHUT-OFF

Dual Temperature: L = 150° C (300° F) H = 190° C (380° F)

ITEM	WATTS	GLUE DIAMETER
#DT-3100F	100	10.8 - 11.5 mm (7/16" Full-Size)
#DT-360F	60	10.8 - 11.5 mm (7/16" Full-Size)
#DT-320F	20	6.8 - 7.4 mm (5/16" Mini-Size)

- Auto Shut-Off Technology, after 30 mins of non-use the glue guns will turn off automatically
- Side Fins, to lay down safely
- Rubberized handles, triggers, and base
- Teflon inlet tubes, for better glue stick feeding
- Flip Up Metal (Full-Size) and Plastic (Mini-Size) Kickstands



MINI DETAIL TIP

High Temperature: 190° C (380° F)

ITEM	WATTS	GLUE DIAMETER
#H-195F	20	6.8 - 7.4 mm (5/16" Mini-Size)

- Super Fine Detail Tip
- Side Fins, to lay down safely
- On/Off Switch
- Flip Up Plastic Kickstand



HYBRID GLUE GUNS

High Temperature: 190° C (380° F)

ITEM	WATTS	GLUE DIAMETER
#CL-800F	60	10.8 - 11.5 mm (7/16" Full-Size)
#CL-195F	20	6.8 - 7.4 mm (5/16" Mini-Size)

- Hybrid, can be used cordless or corded
- Super Fine Detail Tip (Mini-Size)
- No Batteries, reheats via corded stand. Use cordless for up to 2 mins, return to stand after each application to keep hot.
- Heating Stand, with built-in silicone drip pad



BUILT-IN 3.7 VOLT
LITHIUM BATTERY

MINI USB-C RECHARGEABLE

High Temperature: 190° C (380° F)

ITEM	WATTS	GLUE DIAMETER
#USBC-195	~20	6.8 - 7.4 mm (5/16" Mini-Size)

- Lithium battery lasts up to 60 mins. Can use while recharging.
- Includes USB-C charging cord. Wall charger not included.
- Super Fine Detail Tip
- Side Fins, to lay down safely and flip up plastic kickstand
- On/Off Switch



BUILT-IN 3.7 VOLT
LITHIUM BATTERY

MINI USB-C CORDLESS PRO

High Temperature: 190° C (380° F)

ITEM	WATTS	GLUE DIAMETER
#BCL-190	~20	6.8 - 7.4 mm (5/16" Mini-Size)

- Lithium battery lasts up to 60 mins. Recharges via corded stand.
- Includes USB-C charging cord. Wall charger not included.
- Charging Stand, with built-in silicone drip pad
- Super Fine Detail Tip
- Side Fins, to lay down safely and flip up metal kickstand



MINI GLUE GUNS

High Temperature: 190° C (380° F)

Dual Temperature: L = 150° C (300° F) H = 190° C (380° F)

ITEM	WATTS	GLUE DIAMETER	TEMP
#GM-160F	10	6.8 - 7.4 mm (5/16" Mini-Size)	HIGH
#DT-200F	20	6.8 - 7.4 mm (5/16" Mini-Size)	DUAL



FULL-SIZE GLUE GUNS

High Temperature: 190° C (380° F)

Dual Temperature: L = 150° C (300° F) H = 190° C (380° F)

ITEM	WATTS	GLUE DIAMETER	TEMP
#H-270F	40	10.8 - 11.5 mm (7/16" Full-Size)	HIGH
#DT-270F	40	10.8 - 11.5 mm (7/16" Full-Size)	DUAL



SUPER LOW TEMP

MINI COOL SHOT™

Super Low Temperature: 120° C (250° F)

ITEM	WATTS	GLUE DIAMETER
#KD-160F	10	6.8 - 7.4 mm (5/16" Mini-Size)

- The Cool Shot™ glue gun and glue sticks are designed to melt at a much lower temp without losing its strong adhesive properties.
- Side Fins, to lay down safely and flip up plastic kickstand
- Flip Up Plastic Kickstand



INTERNATIONAL PLUG OPTIONS

To support global application, our glue guns are offered with region-specific plug types and compatible power specifications. All models comply with relevant regional electrical standards and certifications, including UL, CE, and UKCA where applicable. If your required plug type or certification is not listed, please contact us for sourcing options or additional compatibility solutions as more options are available.

COUNTRY & POWER

INDUSTRIAL GLUE GUNS

RETAIL GLUE GUNS

USA, MEXICO,
JAPAN

120V | 60Hz





Plug Type B




Plug Type A




**DON'T SEE YOUR PLUG TYPE OR
CERTIFICATION? PLEASE INQUIRE.
MORE OPTIONS ARE AVAILABLE.**



Plug Type E



Plug Type F



Plug Type C

EUROPE,
SOUTH AMERICA,
ASIA

220 - 240V | 50/60Hz



Plug Type N

UK, IRELAND,
MALTA, MALAYSIA,
SINGAPORE

220 - 240V | 50Hz



Plug Type G

AUSTRALIA,
NEW ZEALAND,
NEW GUINEA,
ARGENTINA


220 - 240V | 50Hz



Plug Type I

GLUE STICK SIZES & FORMULAS

Since 1968, Surebonder® has been providing affordable and innovative hot melt adhesives that are engineered, manufactured, packaged, and shipped from our state of the art facility in Wauconda, Illinois, USA. Each hot melt glue formula is meticulously engineered, tested and produced with only the highest quality of materials to ensure every application is met with complete satisfaction. Custom glue stick lengths and formulas are available, please inquire.



CUSTOM LENGTHS ARE AVAILABLE FOR ALL DIAMETER GLUE STICKS. PLEASE INQUIRE.

FORMULA	DESCRIPTION	OPEN TIME	COLOR
725	GENERAL PURPOSE ALL-TEMP	60 sec.	CLEAR
925	ACRYLIC HIGH PERFORMANCE	60 sec.	CLEAR
930	3 MIN HIGH PERFORMANCE	180 sec.	WHITE
703	SUPER FAST-SET PACKAGING	3-8 sec.	TAN
711	FAST-SET PACKAGING	10-15 sec.	TAN
735	HIGH-STRENGTH PACKAGING	25 sec.	AMBER

SEE MORE DETAILS & ALL OUR FORMULAS @ [SUREBONDER.COM/FORMULAS](https://www.surebonder.com/formulas)

ABOUT US

Founded in 1968 by selling basic fastening products, Surebonder has since grown into a worldwide company serving our customers with quality and specialty fastening solutions.

We operate with precision and passion, leveraging our manufacturing facilities across the globe, including the USA, Taiwan, and China. Our primary manufacturing facility spans 19,700 square meters, allowing us to produce and perfect our wide array of adhesive solutions efficiently.

We are proud to emphasize that 95% of the components used in our products are manufactured in-house. This dedication ensures consistent quality, reliability, and precision in every product we create.



SCAN TO LEARN MORE
SUREBONDER-TW.COM



HIGH QUALITY GLUE GUNS DIRECT FROM SUREBONDER'S TAIWAN DIVISION



+886-2-2729-7773 #20
+886-2-2729-7773 #18



freyoung@gmail.com
freyoung@ms43.hinet.net



No. 432, Keelung Rd. Sec 1
Taipei, Taiwan